

Exclusive to CWC, this hard-lay, high-strength, co-polymer fiber provides excellent abrasion resistance and floats. BLUE STEEL™ rope is 35-40% stronger than polypropylene crab rope with lower stretch. Trademark teal blue with dark blue tracer.

Features:

- Floating crab rope
- Hard lay, high strength co-polymer fibers
- Flexible non-rotating construction
- Excellent abrasion resistance



Item #	Description	Diameter	Tensile	Length	Putup	Color	Weight
415300	Blue Steel Crab Rope	5/16"	2650 lbs	1200'	Coil	Teal w/ dk blue tracer	37 lbs
415303	Blue Steel Crab Rope	3/8"	3740 lbs	600'	Reel	Teal w/ dk blue tracer	23 lbs
415305	Blue Steel Crab Rope	3/8"	3740 lbs	1200'	Coil	Teal w/ dk blue tracer	46 lbs
415310	Blue Steel Crab Rope	7/16"	4730 lbs	1200'	Coil	Teal w/ dk blue tracer	57 lbs
415311	Blue Steel Crab Rope	7/16"	4730 lbs	1200'	Coil	Teal w/ dk blue tracer	57 lbs
415315	Blue Steel Crab Rope	1/2"	6160 lbs	1200'	Coil	Teal w/ dk blue tracer	82 lbs
415306	Blue Steel Crab Rope	9/16"	7850 lbs	1200'	Reel	Teal w/ dk blue tracer	107 lbs
415312	Blue Steel Crab Rope	5/8"	9970 lbs	1200'	Coil	Teal w/ dk blue tracer	125 lbs

A registered trademark of CWC, 8 braid BLUE STEEL rope is one of the strongest UV resistant co-polymer braided ropes in the market today. A staple of the marine and pleasure craft market, the high-tenacity polyolefin yarns construction floats, offers easy handling, high strength and excellent abrasion resistance. Often imitated, never duplicated, BLUE STEEL 8 Braid rope is a hallmark of quality and strength.

Features:

- Non-torque construction
- Excellent UV and abrasion resistance
- 30-40% stronger than comparable polypropylene ropes
- Available in a wide variety of put-ups, including 3 and 12-strand.



Item #	Description	Diameter	Tensile	Length	Color	Weight
402118	8 Braid Blue Steel Rope	1"	22800 lbs	600'	Teal w/ dk blue tracer	105 lbs
402130	8 Braid Blue Steel Rope	1-1/4"	34200 lbs	600'	Teal w/ dk blue tracer	162 lbs
402137	8 Braid Blue Steel Rope	1-1/2"	48165 lbs	600'	Teal w/ dk blue tracer	234 lbs
402141	8 Braid Blue Steel Rope	1-5/8"	59375 lbs	600'	Teal w/ dk blue tracer	288 lbs
402146	8 Braid Blue Steel Rope	1-3/4"	70965 lbs	600'	Teal w/ dk blue tracer	354 lbs
402155	8 Braid Blue Steel Rope	2"	86830 lbs	600'	Teal w/ dk blue tracer	433 lbs

Three-strand polyester rope. Durable rope offering high strength, less stretch than nylon and good resistance to abrasions and UV rays. Also resistant to rot, mildew and a variety of fluids and chemicals. Well-suited for marine and industrial applications.

Features:

- Suited to pulley and winch lines
- High strength and low stretch
- UV, abrasion, rot and mildew resistant
- Ideal for boat rigging and dock lines



Item #	Description	Diameter	Tensile	Length	Color	Weight
335015	3 Strand Polyester Rope	1/4"	1315 lbs	600'	White	12 lbs
335035	3 Strand Polyester Rope	3/8"	2900 lbs	600'	White	26 lbs
335055	3 Strand Polyester Rope	1/2"	5085 lbs	600'	White	46 lbs
335075	3 Strand Polyester Rope	5/8"	7825 lbs	600'	White	72 lbs
335105	3 Strand Polyester Rope	3/4"	11200 lbs	600'	White	103 lbs

CWC PolyPRO Yellow is a strong, lightweight monofilament polypropylene rope that floats and has excellent resistance to oil, marine growth and most common chemicals. Designed not to rot, this rope has good abrasion and UV resistance, allowing for the color to last the life of the rope. Available in standard lengths of 600' and 1200'.

Features:

- Floats. Will not absorb water
- Good strength and minimal stretch
- Twice the tensile strength of manila rope Yellow.
- Yellow. Additional colors available



Item #	Description	Diameter	Tensile	Length	Color	Weight
300005	3 Strand Polypro Rope	3/16"	650 lbs	250'	Yellow	2 lbs
301166	3 Strand Polypro Rope	1/4"	1125 lbs	600'	Yellow	7 lbs
300010	3 Strand Polypro Rope	3/16"	650 lbs	600'	Yellow	5 lbs
300015	3 Strand Polypro Rope	3/16"	650 lbs	1200'	Yellow	8 lbs
300030	3 Strand Polypro Rope	1/4"	1125 lbs	250'	Yellow	4 lbs
400714	3 Strand Polypro Rope	1/4"	1125 lbs	400'	Yellow	5 lbs
300035	3 Strand Polypro Rope	1/4"	1125 lbs	600'	Yellow	7 lbs
300040	3 Strand Polypro Rope	1/4"	1125 lbs	1200'	Yellow	14 lbs
300055	3 Strand Polypro Rope	5/16"	1710 lbs	600'	Yellow	12 lbs
300060	3 Strand Polypro Rope	5/16"	1710 lbs	1200'	Yellow	22 lbs
300073	3 Strand Polypro Rope	3/8"	2430 lbs	300'	Yellow	8 lbs
300075	3 Strand Polypro Rope	3/8"	2430 lbs	600'	Yellow	16 lbs
300080	3 Strand Polypro Rope	3/8"	2430 lbs	1200'	Yellow	32 lbs
300110	3 Strand Polypro Rope	7/16"	3150 lbs	600'	Yellow	21 lbs
300115	3 Strand Polypro Rope	7/16"	3150 lbs	1200'	Yellow	42 lbs
300120	3 Strand Polypro Rope	1/2"	3780 lbs	600'	Yellow	28 lbs
300125	3 Strand Polypro Rope	1/2"	3780 lbs	1200'	Yellow	56 lbs
300130	3 Strand Polypro Rope	9/16"	4590 lbs	600'	Yellow	35 lbs
300140	3 Strand Polypro Rope	5/8"	5580 lbs	600'	Yellow	43 lbs
300145	3 Strand Polypro Rope	5/8"	5580 lbs	1200'	Yellow	86 lbs
300150	3 Strand Polypro Rope	3/4"	7650 lbs	600'	Yellow	62 lbs
300155	3 Strand Polypro Rope	3/4"	7650 lbs	1200'	Yellow	124 lbs
300160	3 Strand Polypro Rope	7/8"	10350 lbs	600'	Yellow	97 lbs
300200	3 Strand Polypro Rope	1"	12825 lbs	600'	Yellow	108 lbs
300210	3 Strand Polypro Rope	1-1/8"	16000 lbs	600'	Yellow	121 lbs
300220	3 Strand Polypro Rope	1-1/4"	19350 lbs	600'	Yellow	165 lbs
300236	3 Strand Polypro Rope	1-1/2"	27350 lbs	600'	Yellow	236 lbs
300247	3 Strand Polypro Rope	-	36900 lbs	600'	Yellow	318 lbs
300251	3 Strand Polypro Rope	-	46800 lbs	600'	Yellow	414 lbs

White 3-strand nylon rope. Effective, all-purpose shock absorbent rope. High strength and elasticity. Recommended for securing boats and cargo. Resistant to abrasion, sunlight, rot, mildew and many common chemicals.

Features:

- Flexible and easy to knot
- High elongation and great strength
- Easy to grip and splice
- Also available in black



Item #	Description	Diameter	Tensile	Length	Color	Weight
315005	3 Strand Nylon Rope	3/16"	880 lbs	600'	White	6 lbs
315010	3 Strand Nylon Rope	3/16"	880 lbs	1200'	White	12 lbs
315015	3 Strand Nylon Rope	1/4"	1485 lbs	600'	White	10 lbs
315020	3 Strand Nylon Rope	1/4"	1485 lbs	1200'	White	20 lbs
315025	3 Strand Nylon Rope	5/16"	2295 lbs	600'	White	14 lbs
315035	3 Strand Nylon Rope	3/8"	3240 lbs	600'	White	22 lbs
315040	3 Strand Nylon Rope	3/8"	3240 lbs	1200'	White	44 lbs
315045	3 Strand Nylon Rope	7/16"	4320 lbs	600'	White	31 lbs
315046	3 Strand Nylon Rope	7/16"	4320 lbs	1200'	White	58 lbs
315055	3 Strand Nylon Rope	1/2"	5670 lbs	600'	White	36 lbs
315060	3 Strand Nylon Rope	1/2"	5670 lbs	1200'	White	74 lbs
315100	3 Strand Nylon Rope	9/16"	7200 lbs	600'	White	50 lbs
315110	3 Strand Nylon Rope	5/8"	8910 lbs	600'	White	63 lbs
315115	3 Strand Nylon Rope	5/8"	8910 lbs	1200'	White	124 lbs
315120	3 Strand Nylon Rope	3/4"	12780 lbs	600'	White	86 lbs
315130	3 Strand Nylon Rope	7/8"	17280 lbs	600'	White	122 lbs
315140	3 Strand Nylon Rope	1"	22230 lbs	600'	White	160 lbs
315150	3 Strand Nylon Rope	1-1/8"	28260 lbs	600'	White	202 lbs
315160	3 Strand Nylon Rope	1-1/4"	34830 lbs	600'	White	249 lbs
315200	3 Strand Nylon Rope	1-1/2"	48600 lbs	600'	White	358 lbs
315219	3 Strand Nylon Rope	2"	84600 lbs	300'	White	318 lbs
315220	3 Strand Nylon Rope	2"	84600 lbs	600'	White	570 lbs
315230	3 Strand Nylon Rope	2-1/4"	107100 lbs	600'	White	648 lbs
315235	3 Strand Nylon Rope	2-1/2"	131400 lbs	600'	White	760 lbs
315245	3 Strand Nylon Rope	3"	185400 lbs	300'	White	536 lbs

CWC offers three-strand PACIFIC™ manila rope in reels. Made from natural abaca fiber, this rope is biodegradable and provides low stretch and good resistance to abrasions and sunlight.

Features:

- Strongest natural fiber rope available
- Stretch and abrasion resistant
- Natural biodegradable fiber
- Also available with a blue tracer



Item #	Description	Diameter	Tensile	Length	Color	Weight
201003	3 Strand Manila Rope	1/4"	540 lbs	600'	Natural	11 lbs
201005	3 Strand Manila Rope	1/4"	540 lbs	1200'	Natural	22 lbs
201007	3 Strand Manila Rope	5/16"	900 lbs	600'	Natural	16 lbs
201015	3 Strand Manila Rope	3/8"	1215 lbs	600'	Natural	25 lbs
201025	3 Strand Manila Rope	1/2"	2385 lbs	600'	Natural	42 lbs
201030	3 Strand Manila Rope	5/8"	3960 lbs	600'	Natural	76 lbs
201035	3 Strand Manila Rope	3/4"	4860 lbs	600'	Natural	95 lbs

Our Plasma® 12-strand is the highest strength, lowest creep synthetic rope available. Plasma 12-strand is manufactured from high modulus polyethylene (HMPE) that has been enhanced by a patented recrystallization process. Applications for use include replacement for wire rope, mooring lines, barge lines, lifting slings, winch lines and theatrical rigging. Plasma® 12-strand is delivered standard with a polyurethane finish and is easily spliced.

Features:

- Highest strength and lowest creep 12-strand rope available
- Soft hand feel and torque-free
- Easy to splice
- Floats



Item #	Dimensions	Description	Tensile (lb)	Weight
353500	5/16" X 600'	Violet	11700 lbs	15 lbs
353501	3/16" X 600'	Violet	5500 lbs	7 lbs
353502	1/4" X 600'	Violet	8000 lbs	10 lbs
353503	3/8" X 600'	Violet	17500 lbs	22 lbs
353505	7/16" X 600'	Violet	21000 lbs	25 lbs
353507	1/2" X 600'	Violet	31300 lbs	39 lbs

Double braid polyester rope. Tops among all popular fibers for weathering characteristics. Excellent abrasion resistance and strength, wet or dry. Designed to withstand UV rays and many common chemicals. High strength, low stretch and torque-free.

Features:

- Holds up better than nylon when exposed to sunlight
- Excellent strength and abrasion resistance
- Highly resistant to rot and deterioration
- Suited for towing and anchor lines



Item #	Description	Diameter	Tensile	Length	Color	Weight
347141	Double Braid Polyester Rope	3/16"	1200 lbs	600'	White w/ Green Tracer	10 lbs
347142	Double Braid Polyester Rope	1/4"	1035 lbs	600'	White w/ Green Tracer	15 lbs
347144	Double Braid Polyester Rope	3/8"	4275 lbs	600'	White w/ Green Tracer	29 lbs
347145	Double Braid Polyester Rope	7/16"	5725 lbs	600'	White w/ Green Tracer	38 lbs
347146	Double Braid Polyester Rope	1/2"	7425 lbs	600'	White w/ Green Tracer	52 lbs
347147	Double Braid Polyester Rope	5/8"	11250 lbs	600'	White w/ Green Tracer	79 lbs
347148	Double Braid Polyester Rope	3/4"	16000 lbs	600'	White w/ Green Tracer	113 lbs